14

Notice of Allowability	Application No.	Applicant(s)
	10/629,882	DEVINE, JOHN C.
	Examiner	Art Unit
	Nguyen N. Hanh	2834
The MAILING DATE of this communication appeal of the communication appeal of the communication appeal of the communication appeal of the Office of MAILING DATE of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to Amendments filed 7/9	<u>9/07</u> .	
2. The allowed claim(s) is/are <u>1-3 and 5-9</u> .	·	
 3. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 	e been received. been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER es reason(s) why the oath or declara	national stage application from the complying with the requirements
5. CORRECTED DRAWINGS (as "replacement sheets") mus		
(a) including changes required by the Notice of Draftspers	•	948) attached
 hereto or 2) to Paper No./Mail Date including changes required by the attached Examiner's Paper No./Mail Date 		Office action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawir	ngs in the front (not the back) of
6. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL n	nust be submitted. Note the
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amenda	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 10/629,882

Art Unit: 2834

DETAILED ACTION

Page 2

Remarks

1. In view of amendments, the Examiner withdraws the rejection under 35 USC 103(a) to claims 1-3 and 5-9. The Examiner has noticed that claims 2, 3 and 6 are withdrawn in the Amendments filed on 7/9/2007. Several phone calls were made to the Attorney of record, Mr. David Garrison to clear up the matter but the Examiner received no response. In the Applicant Arguments/Remarks section, the Applicant did not mention about the intention to withdrawn those claims, therefore, the Examiner believes that it is a typing error.

EXAMINER'S AMENDMENT

- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
 - "(withdrawn)" in claims 2 and 3 should be written as:---(original)---.
 - "(withdrawn)" in claim 6 should be written as:---(previously amended)---.

Allowable Subject Matter

- 3. Claims 1-3, 5-9 are allowed.
- 4. The following is a statement of reasons for the indication of allowable subject matter: the prior art of record does not show the permanent magnet generator as described in claim 1 wherein said stator and permanent magnets being sealed from the

Application/Control Number: 10/629,882

Art Unit: 2834

Page 3

outside environment whereby the cooling air does not transverse and flow into the interior of the generator.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh N Nguyen whose telephone number is (571) 272-2031. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner 's supervisor, Darren Schuberg, can be reached on (571) 272-2044. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications and (571) 273-8300 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

HNN

August 29, 2007

PRIMARY EXAMINER